

H.A

Notice of Allowability

Application No.

10/799,338

Examiner

Jean F. Duverne

Applicant(s)

SHIMIRAK, GERALD L.

Art Unit

2839

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment and interview summary filed on 8/3/2005 and 9/28/2005.
2. ☒ The allowed claim(s) is/are 1-22, 45, 46 and 48-57.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 8/3/2005
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 8/3/2005
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Jean Frantz Duverne
 Primary Examiner
 Art Unit: 2839

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Kirk M. Nuzum on 9/28/2005.

The application has been amended as follows: In claim 1, lines 10, delete the terms "is capable of removing", replace them with --removes--.

In claim 15, lines 11, delete the terms "is capable of removing", replace them with --removes--.

Delete claim 23-44, 47, and 58-72.

Claim 45 has been amended as follow: In line 5, after the semi-colon (;), add the following limitations:-- further comprising a first connector comprising a pair of wire receiving passages movable between a first position in which a pair of wires is held apart from the first termination end and a second position in which the pair of wires is inserted into the first termination end, wherein the connector removes the pair of wires from the first termination end and reinserts the pair of wires into the first termination end;--.

2. Claims 1-22, 45-46, and 48-57 are allowed. The following is an examiner's statement of reasons for allowance: Prior art fail to disclose the combination features the method for connecting two wires and re-entering into the electrical connector with

Art Unit: 2839

the wire receiving passage movable between the first position wherein the wires are held apart from the second termination end and the method of inserting, re-inserting and removing the wires into the terminal end and with the rest of the claims limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean F. Duverne whose telephone number is (571) 272-2091. The examiner can normally be reached on 9:00-7:30, Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TC Patel can be reached on (571) 272-2098. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic

Application/Control Number: 10/799,338


Page 4

Art Unit: 2839

Business Center (EBC) at 866-217-9197 (toll-free).

JFD

09/28/2005



Jean Frantz Duverne
Primary Examiner
Art Unit 2839